

INDEX MAPS.

T. 30 N. R. 4 W. 2nd Mer.

	269	269	268	268	268	267						
271	6	289	5	285	4	282	3	278	2	275	1	267
	289	289	285	281	278	275						
271	7	289	8	284	9	281	10	278	11	274	12	267
	288	288	284	281	278	274						
271	18	288	17	284	16	281	15	277	14	274	13	266
	287	287	283	280	277	273						
270	19	287	20	283	21	280	22	277	23	273	24	266
	286	286	283	280	276	273						
270	30	286	29	283	28	279	27	276	26	272	25	266
	285	285	282	279	276	272						
270	31	285	32	282	33	279	34	275	35	272	36	265
	265	265	265	264	264	264						

T. 31 N. R. 4 W. 2nd Mer.

	297		297		297		297		296		296	
300	6	326	5	318	4	314	3	309	2	304	1	296
	325		325		318		313		309		304	
299	7	325	8	317	9	313	10	308	11	303	12	295
	324		324		317		312		308		303	
299	18	323	17	316	16	312	15	308	14	302	13	295
	323		322		316		312		307		302	
299	19	322	20	316	21	311	22	307	23	302	24	295
	321		321		315		311		306		301	
298	30	320	29	315	28	310	27	306	26	301	25	294
	320		319		314		310		305		300	
298	31	319	32	314	33	309	34	305	35	300	36	294

The figures on the lines refer to the page.

264

Township 30 North Range 4 West 2nd Mon. Ind.

C.L.

South Boundary,

(Var. 5° 30' E.)

West On the S. side of sec. 36 in prairie
 35.00 Leave the wet prairie
 37.18 To a Y. Oak 20 in. dia. in the line,
 40.00 Set the 2nd Sec. cor. post from which
 a W. Oak 9 in. dia. bears N 18° W 26 1/2 Mts,
 & a Do. 22 " " " N 70° E 90 " "
 55.96 To a Y. Oak 18 " " in the line,
 81.00 Set a post cor. to sec. 35 & 36
 a W. Oak 9 in. dia. bears N 81° E 85 Mts,
 & a Y. Oak 12 " " " West 672 "
 Land rolling soil good timber Oak &

West On the S. side of sec. 35
 6.72 To a Y. Oak 18 in. dia. in the line,
 12.00 Enter a dry prairie
 40.00 Set a post for 1/4 sec. cor. from which
 a Br. Oak 9 in. dia. bears N 88° E 29 1/2 Mts,
 & a W. Oak 20 " " " N 11 3/4° W 410 "
 80.00 Set a post cor. to sec. 34 & 35 from wh.
 a B. Oak 24 in. dia. bears N 74° W 409 Mts,
 & a Do. 12 " " " N 87 1/2° W 475 "
 Land is mostly dry prairie soil 1st rate
 & a few Oaks on the E. 1/2 mile,

West On the S. side of sec. 34
 40.00 Set the q. sec. cor. post in prairie
 where rain around
 61.50 To a sluggish stream 300 Mts. wide on S.
 80.00 Set a post cor. to sec. 33 & 34.
 in prairie where rain around
 Land rolling & 1st rate prairie,

T30 N. R. 4 W. 2nd Mer. Indi^a

6. Le,
West On the South side of sec. 33
40.00 Set the Dr. sec. cor. post. in prairie
where raise a mound,
80.00 Set a post cor. to sec. 32 & 33 in do.
where raise a mound
Land prairie same as last mile,

West On the S. side of sec. 32
40.00 Set the Dr. sec. cor. & raise a mound
80.00 Set a post cor. to sec. 31 & 32,
in prairie where raise a mound
Land &c is same as before,

West On the S. side of sec. 31
40.00 Set the gr. sec. cor. post & raise mound
82.54 To the W. boundy. 9.38 lbs. S. of temporary
post, where set post & raised a mound
cor. of Towns 29 & 30 N. Ranges 4 & 5 W,
Land same as on last mile,
Dec 10th 1833, (Var. 5° 30' E.)
Surveyed by Sylvester Sibley. Inf. Am.

East Boundary (Var. 5° 35' E.)
North On the E. side of sec. 36 in prairie
40.00 Set the gr. sec. cor. post from which
a W. Oak 8 in. dia. bears N 34° E 16.92 lbs,
no other (given)
70.00 Leave the wet prairie
80.00 Set a post cor. to sec. 35 & 36 from wh.
a W. Oak 10 in. dia. bears S 34° W 100 lbs,
& a Do. 10 " " " N 40° E 47 "
Land is mostly wet prairie a few
oaks on the Nth of this line,

266

T. 30 N. R. 4 W. 2nd Mer. Ind.

C. S.
North

On the E. side of sec. 25
 40.00 Set the q. sec. cor. post from which
 a W. Oak 10 in. dia. bears S 74° W 219 ft.,
 & a Y. Oak 18 " " " N 41° E 72 "
 59.09 To a Y. Oak 10 " " in the line,
 80.00 Set a post cor. to sec. 24 & 25 from wh.,
 a W. Oak 10 in. dia. bears N 44° W 237 ft.,
 & a Do. 22 " " " N 60° W 128 "
 Land is rolling & 2nd rate & the timber
 is W. & Y. Oak, & the mud 9th same

North

On the E. side of sec. 24
 31.00 Entered a wet prairie
 40.00 Set the q. sec. cor. post from which
 a W. Oak 4 in. dia. bears N 19° W 303 ft.,
 & a Do. 18 " " " North 805 "
 46.00 Leave the wet prairie
 48.05 To a W. Oak 18 in. dia. with the line,
 63.88 " " W. Oak 30 " " " " "
 80.00 Set a post cor. to sec. 13 & 24 from wh.,
 a W. Oak 20 in. dia. bears N 75° W 13 ft. 10 in.,
 & a B. Oak 18 " " " S 31° W 119 " "
 Land level & 2nd rate & the timber is
 W. & Y. Oak &c

North

On the E. side of sec. 13
 20.24 To a W. Oak 12 in. dia. with the line,
 40.00 Set the q. sec. cor. post from which
 a Y. Oak 18 in. dia. bears S 74° W 45 ft.,
 & a Do. 24 " " " N 16° W 69 " "
 80.00 Set a post cor. to sec. 12 & 13 from wh.,
 a Y. Oak 12 in. dia. bears S 47° W 28 ft.,
 & a Do. 10 " " " N 76° W 44 "
 Land is level & 2nd rate & the timber is Oak &c,

T. 30 N. R. 4 W. 2nd. New, Ind.^a

C. L.
 North On the E. side of sec. 12
 4.00 Enter a wet prairie
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 4 in. dia. bears S 5 W 780 M.
 & no other given
 80.00 Set a post cor. to sec. 1 & 12 from wh.
 a G. Oak 6 in. dia. bears N 1/2 W 654 M. dia.
 & a W. Oak 8 " " " N 1 E 664 " "
 Land is marshy & sec. rate & the timber oak,

North On the E. side of sec. 1,
 4.00 Leave low sweet prairie
 35.89 To a G. Oak 18 in. dia. in the live,
 40.00 Set the gr. sec. cor. post from which
 a Gum 4 in. dia. bears S 75 W 24 M.
 & a G. Oak 8 " " " N 22 W 36 " dia.
 57.32 To a G. Oak 28 " " in the live,
 80.00 To a temporary corner set post,
 Land level & 2nd rate & the timber
 is W & Y Oak &c. Dec. 19th 1833.
 (Var. 5.355.) - Surveyed by -
 Sylvester Sibley Dep. Sur.

 North Boundary.
 (Var. 5.355.)

West On the S. side of sec. 36 T. 31 N. R. 4 W
 5.00 Enter a wet prairie
 33.00 Leave the same
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears N 59 W 23 M.
 & a Do. 16 " " " N 39 E 66 "
 70.02 To a W. Oak 18 " " in the live,
 80.00 Set a post cor. to sec. 35 & 36,
 a Br. Oak 10 in. dia. bears N 21 E 221 M.

268

T. 30 N. R. 4 W. 2nd Mer. Ind.^a

61.51 & a Br. Oak 9 in. dia. bears N 87 $\frac{1}{2}$ W 144
Land level & soil same & the timber is
W & Br Oak &c —

West On the S. side of sec. 35 T 31 N R 4 W
34.51 To a Y. Oak 10 in. dia. in the line,
40.00 set the gr. sur. cor. post from which
a Y. Oak 18 in. dia. bears N 31 E 38 M.
& a Do. 8 " " " N 76 W 44 "
45.00 Entered a Dry prairie
80.00 Set a post cor. to sec. 34 & 35 from wh.
a Br. Oak 10 in. dia. bears S 78 W 47 M.
& a Y. Oak 8 " " " N 89 $\frac{1}{2}$ E 638 "
Land gently rolling soil good & the
timber is W Y. & Br. Oak &c

West On the S. side of sec. 34 T 31 N R 4 W
21.00 Leave a dry prairie
22.42 To a W. Oak 10 in. dia. in the line
40.00 set the Dr. sur. cor. post from which
a W. Oak 9 in. dia. bears N 83 W 21 M.
& a Do. 10 " " " S 2 E 13 " dit.
57.94 To a W. Oak 12 " " in the line,
80.00 set a post cor. to sec. 33 & 34
a W. Oak 12 in. dia. bears N 57 $\frac{1}{2}$ W 56 M.
& a Y. Oak 14 " " " N. 88 W 160 "
Land &c. is same as on last mile

West On the S. side of sec. 33 T 31 N R 4 W
10.00 Entered a wet prairie
40.00 set the gr. sur. cor. post from wh.
a Y. Oak 12 in. dia. bears N 85 $\frac{1}{2}$ W 1304 M.
no other tree near
50.00 Leave the wet prairie

T. 30 N. R. 4 W. 3rd Mer. Ind.^a

C. L.
 57.00 To a Y. Oak 10 in. dia. in the line,
 58.00 Entered a wet prairie
 80.00 Set a post cor. to sec. 32 & 33.
 a Y. Oak 9 in. dia. bears N 81 E 1467 ft.
 no other
 Land flat & poor & the timber is Oak

Met On the S. side of sec. 32 T 30 N R 4 W
 33.00 Leave wet prairie
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 14 in. dia. bears N 32 W 42 ft.,
 & a Dr. 12 " " " N 62 E 53 "
 48.96 To a W. Oak 9 " " in the line,
 80.00 Set a post cor. to sec. 31 & 32
 a Y. Oak 10 in. dia. bears N 80 E 438 ft.
 & a W. Oak 18 " " " N 2 W 419 "
 Land gently rolling soil good &
 the timber is W, Y, Oak &c

Met On the S. side of sec. 31 T 30 N R 4 W
 40.00 Set the 2nd sec. cor. post from which
 a Y. Oak 20 in. dia. bears N 37 W 101 ft.,
 & a Dr. 7 " " " N 39 E 185 ft.
 55.50 To a Road cor. at 1/2,
 59.28 To W. Oak 18 in. dia. in the line,
 81.96 To the W. boundy, 35 ft. cor. of
 temporary town cor. post set post on,
 Town. 30 & 31 T R. 4 & 5 W. from wh.,
 a Br. Oak 24 in. dia. bears N 27 E 43 ft.,
 & a W. Oak 10, " " " S 57 W 266 "
 Land & timber is same as last mile
 Dec. 20th 1833. Var. 5th 25 E.
 Surveyed by
 Sylvester Sibley. S. D.

T. 30 N. R. 4 W. 2nd Mer. Ind.^a

C. S.

West Boundary.

(Var. 5.35'E.)

North On the E. side of sec. 36 T 30 N R 5 W
 commence in a dry prairie
 40.00 Set the gr. sec. cor. post in do.
 where raise a mound
 70.00 To a trail cor. SW.
 80.00 Set a post cor. to sec. 25 & 36
 in prairie & Raise a mound
 Land gently rolling & first rate &
 the land all prairie

North On the E. side of sec. 25 T 30 N R 5 W
 40.00 Set the gr. sec. cor. post from which
 a Y. Oak 14 in dia. bears N 4 E 55° 1/2 lb,
 & a Do. 18 " " " N 2 E W 58° 6 "
 45.50 Leave the prairie
 80.00 Set a post cor. to sec. 24 & 25
 a W. Oak 12 in dia. bears N 57° W 22 lb,
 & a Y. Oak 14 " " " S 71° W 20 " dia.
 Land level & 1/2 is first rate & the
 prairie & 1/2 is 2nd rate & stumps,

North On the E. side of sec. 24 T 30 N R 5 W
 2.18 To a W. Oak 30 in dia. in the line,
 4.00 Enter a wet prairie
 40.00 Set the gr. sec. cor. post from wh,
 a W. Oak 6 in dia. bears S 4 E 98° 5 lb,
 & a Y. Oak 10 " " " S 11° W 11.00 "
 77.00 Leave the wet prairie
 80.00 Set a post cor. to sec. 13 & 24.
 a Y. Oak 28 in dia. bears S 55° W 22 lb,
 & a W. Oak 20 " " " N 45° E W 28° 5 "
 Land is mostly wet prairie, a few trees

T. 30 N. R. 14 W. 2nd, Mon. Ind.

6.21
 North On the E. side of sec. 13 T. 30 N. R. 14 W.
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 20 in. dia. bears N 60° E 77 lks.
 & a Do. 28 " " " N 3° W 152 " dist.
 80.00 Set a post cor. to sec. 12 & 13 from wh.
 a W. Oak 10 in. dia. bears N 17½° W 14 lks.
 & a G. Oak 18 " " " S 22° W 202 "
 Land rolling & 1st rate bearing thinly timbered with Oaks. &c

North On the E. side of sec. 12 T. 30 N. R. 14 W.
 26.24 To a W. Oak 9 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears N 13° W 345 lks.
 & a Do. 12 " " " S 54 ¾° W 315 "
 80.00 Set a post cor. to sec. 14 & 12 from wh.
 a G. Oak 9 in. dia. bears N 60° E 311 lks.
 & a Do. 9 " " " N 25½° E 113 "
 Land &c. is same as last mile

North On the E. side of sec. 1 T. 30 N. R. 14 W.
 20.51 To a W. Oak 9 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 9 in. dia. bears N 13½° W 239 lks.
 & a W. Oak 7 " " " S 5½° W 297 "
 48.00 To a Road cor. NE & SW
 76.94 To a W. Oak 28 in. dia. in the line.
 80.00 To township town cor. set post,
 Land &c. is same as last mile
 Dec. 12th 1833. (Var. S. 35 E.)
 Surveyed by
 Sylvester Abbey D. S.

Subdivisions.

T. 30 N. R. 4 W. 2nd, New Ind.C.S.
North

Between sections 35 & 36

27.04 To a W. Oak 20 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 10 in. dia. bears N 35° W 38 ft.,
 & a W. Oak 35 " " " S 68° W 40 " dia.,

19.61 To a W. Oak 18 " " in the line,
 80.00 Set a post cor. to sec. 25. 26. 35 & 36
 a W. Oak 18 in. dia. bears N 72° E 140 ft.,
 & a B. Oak 15 " " " S 89° E 144 "
 Land level & wet barrens because
 of timber & scattering B & W Oak &c,
 & the mud, etc., is same with the other

East

On Random between sec. 25 & 36

80.84 To the E. line of sec. 5 th. S. of post

West

Correct the line between sec. 25 & 36

40.42 Set the 2^d, sec. cor. post from which
 a W. Oak 20 in. dia. bears S 7° W 25 ft.,
 & a B. Oak 30 " " " N 36° E 105 "

80.84 To the section corner

Land level & marshy barrens & the
 timber is scarce B. Oak & W. Oak & the
 mud, brush is B & W Oak & the other

North

Between sections 25 & 26

11.89 To a W. Oak 24 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 18 in. dia. bears N 11° E 800 ft.,
 & a S 20 " " " N 7° W 1260 " dia.,

80.00 Set a post cor. to sec. 23. 24. 25 & 26
 a B. Oak 30 in. dia. bears N 76° W 33 ft. dia.,
 & a W. Oak 30 " " " S 33° E 45 " "
 Land past dry barrens & part flag &

T. 30 N. R. 4 W. 2nd. New. Ind.^a

6. 2. Bulrush swamp, & the timber is
B & W Oak in some places -

East On Random between sections 24 & 25
80.71 To the E. line of sec. 12 the S. of post

West Correct the line between sec. 24 & 25
5.71 To a B. Oak 20 in. dia. in the line

40.35¹/₂ Set the gr. sec. cor. post from which
a W. Oak 30 in. dia. bears N⁶ E 69⁰ 44⁰
Va. No. 25 " " " S 33 E 44 " dist.

52.40 To a B. Oak 20 " " in the line

80.71 To the return corner,
Land level & 3^d rate & the timber
is scarce of B & W Oak, & W. G. saw,

North Between sections 23 & 24

24.48 To a B. Oak 20 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which
a W. Oak 18 in. dia. bears N⁶ E 38⁰ 44⁰
To a B. Oak 25 " " " N 80 E 24 "

62.74 To a B. Oak 25 " " in the line,

80.00 Set post cor. to sec. 13 & 14. 23 & 24 in water
a W. Oak 18 in. dia. bears N 105 E 41⁰ 44⁰ dist.
To a B. Oak 6 " " " N 26 W 400 " "
Land level & 3^d rate & the timber is
B. Oak & W. Oak scattering past dry land
& past wet prairie -

East On Random between sec. 13 & 24
80.85 To the E. line of sec. 11 the S. of post,

West Correct the line between sec. 13 & 24
4.33 To a B. Oak 25 in. dia. in the line,

T. 30 N. R. 4 W. 2nd Mer. Ind. ²⁷⁴

6.26,
18.101 To a B. Oak 18 in. dia. in the line,
40.42½ Set the gr. sec. cor. post from wh
a W. Oak 20 in. dia. bears S 32° W 37 lbs,
La. Do. 20 " " " N 22° E 33 " dit
80.85 To the section corner,
E ½ mile is 3^d rate Land & the timber
is B & W Oak Hickory &c. W. & wet barney

North Between sections 13 & 14
29.70 To a W. Oak 20 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a W. Oak 18 in. dia. bears N 35° E 128 lbs,
La. Do. 15 " " " N 12° W 159 "
80.00 Set a post cor. to sec. 11, 12, 13 & 14 -
a B. Oak 6 in. dia. bears N 83° E 108 lbs,
La. Do. 6 " " " N 65° E 117 "
Good land & almost one entire marsh
but little timber of any kind
June 4th 1834

East On Random between sec. 12 & 13,
80.45 To the E. line of sec. 34 lbs. cor. post,

West Correct the line between sec. 12 & 13
40.22½ Set the gr. sec. cor. post in swamp
80.45 To the sec. cor. (no bearings)
Sand flag & bullrush swampy
& covered with water,

North Between sections 11 & 12
21.83 To a B. Oak 20 in. dia. in the line
32.52 To a W. Oak 20 " " " " "
40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 67° E 162 lbs.

T. 30 N. R. 4 W. 2nd Mer. Ind.^a

Co. L.	<p>To a W. Oak 18 in. dia., bears N 77 E 104th, 80.00 To cor. sec. 1, 2, 11 1812 set post from wh. a W. Oak 20 in. dia. bears S 60 E 379th dist., To Do. 24 " " " S 85 E 500th " Land level wet barrens & groves of timber of B. & W. Oak in places</p>
East 80.77	<p>On Roadway between sec. 1812 To the E. line of sec. 12 Dist. of post</p>
West 40.38 80.77	<p>Correct the line between sec. 1812 & set the gr. sec. cor. post from which a B. Oak 20 in. dia. bears S 82 E 13th, To Do. 18 " " " S 50 E 32th " To the section corner, Land level wet prairie & groves of B. & W. Oak in places.</p>
North 40.00 80.00	<p>Between sections 18 & 2 set the Dr. sec. cor. post from wh. a W. Oak 20 in. dia. bears S 78 E 127th, & a W. Oak 6 " " " S 85 E 111th " To the N. boundary of Township 64th W. of post & where set post corner of sec. 18 & 2 from which a B. Oak 24 in. dia. bears S 67 E 712th, & a Po. 20 " " " S 26 W 146th " Land level scarce of timber & almost entirely covered with water flag & Bull rush swamps.</p>
North 29.00 40.00	<p>Between sections 34 & 35 To a W. Oak 18 in. dia. in the line set the Dr. sec. cor. post from wh. no bearings - in mound</p>

276

T. 30 N. R. 4 W. 2nd Mer. Ind^a

6. L.
 a W. Oak 18 in. dia. bears S 17° W 3.40 lks.
 & a B. Oak 24 " " " N 5° W 398 "
 71.03 To W. Oak 18 " " in the line,
 80.00 Set a post cor. to sec. 26, 27, 34 & 35
 a B. Oak 18 in. dia. bears S 44° E 284 lks.
 & a Dr. 24 " " " N 59° W 227 "
 Land level wet bearing & the timber
 is B. Oak & W. Oak & —

East On Random between sections 26 & 35.
 80.54 To the E. line of sec. 13 lks. N. of post

West Correct the line between sec. 35 & 26
 40.27 Set the gr. sec. cor. post from which
 a B. Oak 20 in. dia. bears S 7° W 220 lks.
 & a Dr. 24 " " " N 89° W 356 "
 46.74 To a B. Oak 24 in. dia. in the line,
 80.54 To the section's corner.
 Land level wet bearing & the timber
 is scarce, scattering Oak & —

North Between sections 26 & 27
 40.00 Set the gr. sec. cor. post from wh.,
 a W. Oak 14 in. dia. bears S 14° E 225 lks.
 & a Dr. 20 " " " S 23½° W 248 "
 80.00 Set a post cor. to sec. 22, 23, 26 & 27
 a B. Oak 20 in. dia. bears S 24° E 130 lks.
 & a Dr. 12 " " " N 25° W 129 "
 Land level wet bearing timber scarce
 of B & W Oak & —

East On Random between sec. 23 & 26
 81.00 To the E. line of sec. 32 lks. S. of post

T. 30 N. R. 4 W. 2nd New Ind.^a

6. L.
West
40.50

81.00

Correct the line between sec. 23 & 26
set the gr. sur. cor. post from which
a W. Oak 20 m. dia. bears S 57° E 61 m. dist.
4 m. 18 " " " S 73° E 75 " "
To the section corner,
Land level & principally prairie with
scattering groves of W & B Oak &c

North

40.00

80.00

Between sections 22 & 23
set the gr. sur. cor. post. in water no mound
set post in Bull rush swamp
cor. sec. 14, 15, 22 & 23, no mound
Land chiefly flag & bull rush swamp
& groves of Aspen W & B Oak &c

East

80.44

On Random between sec. 14 & 23
To the E. line of sec. 20 M. N. & post

West

40.20 1/2

80.44

Correct the line between sec. 14 & 23
set the gr. sur. cor. post from which
no bearings - Raise a mound
To the section corner,
Land level wet prairie some
groves & flag swamps,

North

40.00

80.00

Between sections 14 & 15
set gr. sur. cor. post in flag swamp
set post cor. to sec. 10, 11, 14 & 15. in a
swamp & no bearings -
The whole of this line runs through
a large Bull rush & flag swamp
caused by the metamorphic ck. which
at this place spreads over near a
section of land. water generally from
half leg to 1/2 high deep.

T. 30 N. R. 4 W. 3rd Mon. Ind.^a

278

E. L.
East On Random between Sec. 11 & 14
80.50 To the E. line of sec. at the post,

West Correct the line of Sec. 11 & 14
40.25 Set the gr. sec. cor. post in a swamp
80.50 To the section corner,
marshy land & almost destitute of timber,

North Between sections 10 & 11
40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 44 $\frac{1}{2}$ W 25 $\frac{1}{2}$ lbs,
& a B. Oak 24 " " " S 60 $\frac{1}{2}$ W 18 " 9 lbs,
80.00 set a post cor. to sec. 2, 3, 10 & 11
a W. Oak 18 in. dia. bears N 34 E 48 $\frac{1}{2}$ lbs. 9 lbs,
& a B. Oak 24 " " " S 84 E 74 " "
Land patch wet patch dry barrens &
almost destitute of timber except some
small groves &

East On Random between Sec. 2 & 11
80.53 To the E. line of Sec. 23 West of post

West Correct the line between sec. 2 & 11
40.26 Set the gr. sec. cor. post from which
a W. Oak 24 in. dia. bears S 82 W 136 lbs,
& a B. Oak 24 " " " S 89 W 164 "
49.47 To a Dr. 24 " " in the line
80.53 To the section corner,
Land generally dry barrens & the
timber is scarce, a few B & W. Oak &

North Between sections 2 & 3,
20.95 To a B. Oak 24 in. dia. in the line,
40.00 Set the gr. sec. cor. post from wh,

T. 30 N. R. 4 W. 2nd, New. Ind^a,

C. L. a B. Oak 24 in dia, bears N 49° W 101 M,
 & a W. Oak 24 " " " 266° E 142 "
 81.19 To the N. boundary: 77 M. East of post
 where set post cor. to sec. 2 & 3.
 a W. Oak 18 in dia, bears N 1/2 E 89 M,
 & a B. Oak 18 " " " 267° W 569 "
 Land is generally dry prairie some
 grove of W. & B. Oak -

North Between sections 33 & 34
 25.00 To Metamorus cr. 3 ch. wider. N.
 40.00 set the 2^d. sec. cor. post from which
 a W. Oak 20 in dia, bears N 1/4 E 533 M,
 & a Do. 30 " " " N 63 E 498 "
 42.20 To Metamorus cr. cor. S W,
 53.00 " Do. " " S. E,
 63.55 " a B. Oak 30 in dia. in the line,
 80.00 set a post cor. to sec. 27, 28, 33 & 34
 set post in Metamorus creek in
 water waste deep. cor. S. W. part
 of this line is timber? & part prairie

East In Random between sections 27 & 34
 79.85 To the E. line of sec. 60 Ch. N. of post

West Correct the line between sec. 27 & 34
 39.92 set the gr. sec. cor. post from which
 a B. Oak 25 in dia, bears N 49 E 600 M. dia,
 & a W. Oak. 30 " " " 259 E 539 " "
 79.85 To the section corner -
 Land generally dry bearing a few
 grove of Br. Oak W. Oak & Hickory &c,

North Between sections 27 & 28,

T. 30 N. R. 4 W. 2nd. New. Ind^a

E. L.
40.00 Set the 2^d. sec. cor. post from which
no bearings - in a mound
60.00 To Metamony crk, cor. S. E.
80.00 Set a post cor. to sec. 21, 22, 27 & 28,
Land level & wet prairie

East On Random between sec. 22 & 27
79.76 To the E. line of sec. 75 ths. N. of post

West Correct the line between sec. 22 & 27
39.88 Set the gr. sec. cor. post in a mound
79.76 To the section corner,
Land level & greater part wet prairie
& small groves of W. & B. Oak &c

North Between sections 21 & 22
5.00 To Metamony creek cor. South,
16.00 " the same cor. S. W.,
40.00 Set the gr. sec. cor. post from which
a W. Oak 10 in. dia. bears N 29° 60' W 1/4
& a Do. 30 " " " N 15 1/2° W 80 1/4"
44.024 To a W. Oak 30 " " in the line,
80.00 Set a post cor. to sec. 15, 16, 21 & 22,
The greater part of this line runs
through a flag & Bull rush swamp
formed by the waters of the Metamony
which widens at this point to a great extent,

East On Random between sections 15 & 22
This line was not run being in the
Metamony creek, which is wide &
spreads over a great extent of country
& is quite marshy & under water from
mid leg to waist deep,

282

T. 30 N. R. 4 W. 2nd Mer. Ind^a

C. L.
 25.18 To a W. Oak 18 in. dia. in the line,
 39.82± set the Dr. sec. cor. post from which
 a W. Oak 10 in. dia. bears N 24 W 153 M.,
 & a Dr. 20 " " " N 22 E 266 "
 49.65 To the section corner,
 Land 3rd rate barrens interspersed
 with flag & bull rush swamps & the
 timber is B. Oak & W. Oak &c

North Between sections 3 & 4
 24.14 To a W. Oak 30 in. dia. in the line
 40.00 set the gr. sec. cor. post from wh,
 no bearings, no mound, being in
 a flag marsh knee deep in water.
 81.00 To the N. boundy. of Town. 107 M. West
 of post where set post cor. sec. 3 & 4
 a W. Oak 20 in. dia. bears S 69 E 281 M.,
 & a B. Oak 22 " " " N 89 W 54 "
 Land chiefly wet barrens almost
 destitute of timber or mud brush,

North Between sections 32 & 33,
 40.00 set a gr. sec. cor. post in mound
 70.32 To a B. Oak 18 in. dia. in the line,
 80.00 set a post cor. sec. 28.29.32 & 33,
 where raise a mound —
 Land level dry prairie & some groves
 of W. & B. Oak &c. &c,

East On Random between sec. 28 & 33
 80.00 To the E. line of sec. 4 M. N. of post,

West Correct the line between sec. 28 & 33
 40.00 set the Dr. sec. cor. post in a mound,

T. 30 N. R. 4 W. 2nd. Nov. Ind.

C. L. 80.00	Set a post cor. to sec. 28, 29, 32 & 33, in prairie where raise a mound Land level sweet prairie
North 40.00 80.00	Between sections 28 & 29 Set the gr. sec. cor. post in prairie where raise a mound, Set a post cor. to sec. 20, 21, 28 & 29 a B. Oak 10 in. dia., bearing S 65° E 40 lks., to Do. 24 " " " N 31° W 254 " Land principally dry prairie & small groves of B. Oak & W. Oak &c
East 80.21	On Random between sec. 21 & 28, to the E. line of sec. 13 lks. N. of post,
West 40.10 80.21	Correct the line between sec. 21 & 28 Set the gr. sec. cor. post in mound to the section corner, Land level dry prairie,
North 40.07 80.00	Between sections 20 & 21, Set the 2 ^d . sec. cor. post from which a W. Oak 20 in. dia., bearing N 50° E 292 lks., & a B. Oak 22 " " " N 76° E 326 " Set a post cor. to sec. 16, 17, 20 & 21, where set post & raised a mound Land level & red rats & the timber is scattering W. & B. Oak &c
East 78.27	On Random between sec. 16 & 21 to the E. line of sec. 23 lks. S. of post
West	Correct the line between sec. 16 & 21

284

T. 30 N. R. 4 W. 2nd Mer. Ind. a

Co. E
39.13½ Set the Dr. sup. cor. post from which
a Bur. Oak 30 in. dia. bears S 62° W 530 ft.,
Va. Do. 25 " " " S 72° W 612 "

78.27 To cor. sec. 16, 17, 20 & 21,
West ½ mile is wet & the E. ½ is dry
prairie & 2nd rate Land

North Between sections 16 & 17

23.90 To a W. Oak 8 in. dia. in the line,
34.32 To a B. Oak 20 " " " "
40.00 To a W. Oak 18 " " in place of cor. post,
48.67 To a W. Oak 20 " " in line,
80.00 Set a post cor. to sec. 8, 9, 16 & 17
a W. Oak 35 in. dia. bears S 36° W 317 ft.,
Va. Do. 30 " " " S 71° W 363 "
Land level dry prairie & scattering
W. & B. Oak

East On Random between sections 9 & 16

80.15 To the E. line of sec. 18 1/2 mi. N. of post

West Correct the line between sec. 9 & 16

40.07½ Set the gr. sec. cor. post in mound
80.15 To the section corner,
E ½ mile is 2nd rate prairie, & West
½ mile is wet prairie almost destitute
of timber —

North Between sections 8 & 9

40.00 Set the gr. sec. cor. post in mound
80.00 Set post cor. to sec. 4, 5, 8 & 9
where raise a mound in prairie
Land wet & greater part level prairie

T. 30 N. R. 4 W. 2nd Mer. Ind.

Co. L, East	On Random between Secs. 4 & 9 79.69 To the E. line of sec. 94 1/2 mi. N of post
West	Correct the line between sec. 4 & 9 39.84 1/2 Set the gr. sec. cor. post. in prairie where raise a mound, 79.69 To the section corner, Land low past wet & part dry prairie
North	Between sections 4 & 5 40.00 Set the Dr. sec. cor. post. from wh, a B. Oak 25 in. dia. bears N 12 1/2 W 47.5 ft., & a Do. 20 " " " N 58. 904 " 81.00 Set post in water, not being able to find post nor N. boundary. now bearing Land low wet prairie. & scattering B & W. Oak timbered -
North	Between sections 31 & 32 40.00 Set the Dr. sec. cor. post in mound 80.00 Set a post cor. to sec. 29, 31, 31 & 32 in a flag swamp where raise a mound. Land dry prairie & rats
East	On Random between sec. 29 & 32 79.88 To the E. line of sec. 162 1/2 mi. N of post
West	Correct the line between sec. 29 & 32 39.94 Set the Dr. sec. cor. post in mound 79.88 To the section corner, Land is mostly wet prairie
West	Between sections 30 & 31 81.41 To the W. boundary. 24 mi. S of post,

T. 30 N. R. 4 W. 2nd Mer. Ind.^a 286

E. L.
East
41.41 Correct the line between sec. 30 & 31
Set the 2nd sec. cor. post from which
a B Oak 24 in. dia. bears S 75° W 750 ft.
& a Do. 20 " " " S 83° W 760 "
81.41 To the section corner,
Land is level wet prairie

North
40.00 Between sections 29 & 30
48.50 Set the gr. sec. cor. post in mound
78.50 To a W. Oak 24 in. dia. in the line
80.00 Set a post cor. to sec. 19, 20, 29 & 30
a W Oak 20 in. dia. bears S 50° E 61 ft.
& a Do. 24 " " " N 20° E 150 "
Land greater part prairie & 2nd into
some groves of B & W Oak

East
79.86 On Random between sec. 29 & 30
To the E. line of sec. 62 ft. N. of post

West
39.93 Correct the line between sec. 20 & 29
79.86 Set the 2nd sec. cor. post in mound,
To the section corner,
Land generally dry prairie 2nd into

West
82.12 On Random between sec. 19 & 30
To the W. boundy. 26 ft. N. of post

East
42.12 Correct the line between sec. 30 & 19
Set the gr. sec. cor. post from wh.,
a B Oak 24 in. dia. bears S 3° W 156 ft.
& a Do. 6 " " " N 64° E 61 "
82.12 To the section corner,
Land level wet barrens & the
timber is scarce of B & W Oak &c

T. 30 N. R. 4 W. 3rd Mer. Ind.^a

C. L.
 North Between sections 19 & 20
 40.00 Set the gr. res. cor. post from which
 a W. Oak 18 in. dia. bears S 25° W 283 lks. dist.
 & a Do. 21 " " " S 13° W 292 " "
 80.00 Set a post cor. to sec. 19, 18, 19 & 20 —
 a B. Oak 20 in. dia. bears S 7° W 410 lks. dist.
 & a Do. 24 " " " S 77° W 450 " "
 Land level & wet prairie with groves of
 white & B. Oak &c

East On Random between sections 19 & 20
 80.71 To the E. line of sec. 7 lks. S. of post,

West Correct the line between sec. 19 & 20
 40.35½ Set the gr. sec. cor. post from which
 a W. Oak 36 in. dia. bears S 53° W 26 lks.
 & a B. Oak 12 " " " S 60° E 58 "
 56.50 To a W. Oak 18 " " in the line,
 80.71 To the sections corner,
 To ½ mile is wet prairie W ½ mile is
 dry barrens & the timber is B & W Oak &c

West Between sections 18 & 19
 81.69 To the W. boundary. 27 lks. S. of post,

East Correct the line between sec. 18 & 19.
 41.69 Set the gr. res. cor. post from which
 a W. Oak 18 in. dia. bears N 67° E 109 lks.
 & a Do. 20 " " " N 1° E 108 " dist.
 81.69 To the sections corner,
 Land level open barrens, part dry
 & part flag & ball rush swamps & the
 timber is B. & W. Oak &c, sec. 18,

288

T. 30 N. R. 4 W. 2nd. Mev, Ind^a.

C. & L.
North Between sections 17 & 18,
27.85 To a B. Oak 20 in. dia. in the line
40.00 set the 2nd sur. cor. post from which
a W. Oak 18 in. dia. bears S 46° W 37 1/2 M. dist.
To a Do. 20 " " " S 82° E 16 " "
46.73 To a B. Oak 20 in. dia. in the line,
65.04 To a W. Oak 30 " " " " "
78.33 " " Do. 20 " " " " "
80.00 Set a post cor. to sec. 7, 8, 17 & 18,
a W. Oak 20 in. dia. bears S 35° W 135 M.
To a Do. 18 " " " S 74 1/2° E 133 "
Land level barney part wet & pondy

East On Random between sec. 8 & 17
79.24 To the E. line of sec. 50 M. S. of post

West Correct the line between sec. 8 & 17
39.62 Set the gr. sur. cor. post from which
a B. Oak 8 in. dia. bears N 15° E 106 M.
To a Willow 3 " " " N 14° W 100 " dist.
79.24 To the sections corner.
Land level sweet barney Bull run by
& flag swamps & a few groves of timber
of White & Black Oak &c

West On Random between sections 7 & 18,
81.60 To the W. boundary. 41 M. N. of post,

East Correct the line between sec. 7 & 18,
41.60 Set the gr. sur. cor. post from which
a B. Oak 8 in. dia. bears N 64° E 30 M. dist.
To a Do. 8 " " " S 59° E 376 " "
81.60 To the sections corner,
Land level open barney some Oak,

T. 30 N. R. 4 W. 2nd Mer. Ind.^a

Co. L, North	Between sections 7 & 8
4.13	To a B. Oak 20 in. dia. in the line,
24.47	" " B. Oak 18 " " " "
40.00	Set the gr. sec. cor. post from which - no bearings - but raise a mound
80.00	Set a post cor. to sec. 5. 6. 7 & 8. in prairie where raise a mound, Land 2 nd rate prairie,
East	On Random between sec. 5 & 8,
78.21	To the E. line of sec. 35 1/4 mi. N. of post
West	Correct the line between sec. 5 & 8
16.86	To a W. Oak 25 in. dia. in the line,
39.10 1/2	Set the gr. sec. cor. post from which a W. Oak 15 in. dia. bears S 69 E 163 1/2 mi. dia, & a Ds. 18 " " " " N 50 E 107 " "
79.21	To the sec. cor. (in prairie) E 1/2 mile is best bearing of W & B Oak W 1/2 mile is wet prairie,
West	On Random between sections 6 & 7
80.74	To the E. line of sec. 65 1/4 mi. N. of post
East	Correct the line between sec. 6 & 7
40.74	Set the gr. sec. cor. post from which a W. Oak 18 in. dia. bears S 31 W 419 1/2 mi. dia, & a Ds. 22 " " " " S 21 W 350 " "
80.74	To the section corner, The E 1/2 mile is 2 nd rate prairie & the W 1/2 is best bearing B & W Oak
North	Between sections 6 & 6
40.00	Set the gr. sec. cor. post from which

T. 30 N. R. 4 W. 2nd Mer. Ind.^a

66. 2. 1 a B. Oak 10 in dia. bears N 50 E 151 M. dist.
 & a Do. 18 " " " N 19 E 127 " "
 41. 93 To a B. Oak 20 in dia. with the line,
 79. 19 To the N. line of sec. N. boundary.
 65 M. West of post. Red post en. 506
 a W Oak 20 in dia. bears S 76 E 583 M. dist.
 & a Do. 18 " " " S 1 1/2 E 519 " "
 Land 2nd rate level bearing,

A true copy from the original -
 field notes of this township, except
 the last certificate.

Robert Hanna.

Deputy Surveyor.

I certify that the foregoing transcript
 of field notes of Township 30 North
 Range 4 West 2nd principal meridian
 in the state of Indiana, has been
 compared with the original in this
 office & found to be correct.

E. P. Wainwright

Surv. Genl.

Surveyor General's office,
 Cincinnati. May 14th 1842.